




Product Specification

General

Cat. Number	511pk / 512pk
Sub-Category	Hooks
Yield type	Cucumber/ Tomato
Description	Metal Hook TURBO-system for trellising plants. The Turbo Hook is a quality metal hook including a free-fall release system, that can be released extremely fast, in one-movement!
Twine color	Black / white / color
Twine type	1000 / 1200 / 1500 PP/ also available bio twine



Material

Metal part	Galvanized steel
Twine	Polypropylene + anti-UV additive or Biodegradable twine

Technical Specifications

Parameter	Value
Metal hook size (mm)	180 / 220
Wire diameter (mm)	3
Metal part weight (gr)	21 / 23.8
Suitable for trellising wire diameter (mm)	2-4
Carrying force (kg)	Up to 8 kg static load
Twine length (m)	Depends on twine type and hook size
Hook Weight (gr)	Depends on twine type and length

Durability

Metal part	Multi-seasonal
Twine*	Suitable for 1 season (up to 1 year) on the condition the twine is released and the plant is lowered at least 4 times during the season. *Not including bio twine.

Storage

- In a cool, dry place
- away from heat
 - away from direct sunlight
 - storage temperature should not exceed 60°C



Packaging

Units per box (pcs)	Depends on twine type/length and hook size
Box weight approx. (kg)	10-25 (Depends on twine type/length and hook size)
Box size L x W x H (cm)	60 x 25 x 26/ 50 x 29 x 26

Installation temperature


Range (°C)	N/A
------------	-----



Product Specification

General

Cat. Number	Pro512pk
Sub-Category	Hooks
Yield type	Heavy tomato
Description	Professional Metal Hook for heavy weight TURBO-system for trellising plants. The Turbo Hook is a quality metal hook including a free-fall release system, that can be released extremely fast, in one-movement!
Twine color	Black / White / Color
Twine type	1000 / 1200 / 1500 PP/ also available bio twine



Material

Metal part	Galvanized steel
Twine	Polypropylene + anti-UV additive or Biodegradable twine

Technical Specifications

Parameter	Value
Metal hook size (mm)	220
Wire diameter (mm)	3
Metal part weight (gr)	25.3
Suitable for trellising wire diameter (mm)	2-4
Carrying force (kg)	Up to 11 Kg static load* *about 30% over the regular hook 220 mm
Twine length (m)	Depends on twine type / varies as required
Hook Weight (gr)	Depends on twine type and length

Durability

Metal part	Multi-seasonal
Twine*	Suitable for 1 season (up to 1 year) on the condition the twine is released and the plant is lowered at least 4 times during the season. *Not including bio twine.

Storage

In a cool, dry place

- away from heat
- away from direct sunlight
- storage temperature should not exceed 60°C



Packaging

Units per box (pcs)	Depends on twine type/length
Box weight approx. (kg)	10-25 (Depends on twine type/length)
Box size L x W x H (cm)	50 x 30 x 26.5

Installation temperature

Range (°C)	N/A
-------------------	-----